












# Technical parameters of 40-foot double-wing expansion box (2023)

Technical parameters of 40-foot double-wing expansion box (2023)			
Basic information	Extended size (mm) L * W * H	L11800*W6240*H2480	<div></div> <div>Pictures for reference only</div>
	Interior space (mm) L * W * H	L11540*W6080*H2200	
	Folding size (mm) L * W * H	L11800*W2200*H2480	
	Weight (KG)	5000	
Frame structure	Main beam	Galvanized Square Tube 80 * 140 * 3MM Q235	<div></div>
	Column	Galvanized fold 150 * 210 * 3.0MM Q235	
	Sub-frame	Galvanized Square Tube 40 * 60 * 1.5MM Q235	
	Box lifting head	Galvanized 210*150*160*4MM Q235	
	hinge	Zinc Plated Thickened Hinge Q235	
floor	Intermediate floor	18mm cement floor	
	Floor on both sides	18mm Bamboo Rubber Board	
Insulation wall	Sidewall	75mm sandwich sandwich board, color roll double-sided 0.35 (sandwich material is rock wool, EPS, polyurethane selected) Standard sandwich material is 12kg / m3EPS	
	partition	50mm sandwich sandwich panel, colored steel plate substrate double-sided 0.35. Insulation material as above ↑	
	Main Top and Side Top	50mm sandwich sandwich panel, colored steel plate substrate double-sided 0.35. Insulation material as above ↑	
Electrical system	parameter	National standard wire; Inlet 6, air conditioner socket 4, ordinary socket 2.5, lighting 1.5. (Can be customized to meet the certification requirements of the circuit according to the country) 2, circuit breaker system; 2P63A total open 1, 2P43A/2P32A/1P20 shunt leakage protector each. 3, lighting; Three anti-LED ceiling lamps * 6. 4, socket; Standard international three-hole socket (socket standard can be configured according to customer requirements)	

<b>Door and window system</b>	<b>Entrance door</b>	Standard steel security door (custom broken bridge aluminum, titanium magnesium alloy, aluminum alloy entrance door)	
	<b>window</b>	Standard plastic steel double glass casement window (can be customized high-end broken bridge aluminum window, aluminum alloy window)	
<b>Unit</b>			
<b>Unit</b>	<b>Two rooms, one living room, one kitchen and one bath</b>	<b>Three rooms one hall one kitchen one bath</b>	<b>Four rooms one hall one kitchen one bath</b>
			
<b>Restroom</b>			
<b>Specifications</b>	Length 1720 * Width 1420	Length 2200 * Width 1370	Length 1720 * Width 1420
<b>Optional Layout</b>			
<b>Real photos</b>			

<b>Can be fitted with cabinets</b>	L-shaped cabinets		A cabinet size; Length 1750 * Width 530 * Height 750 B cabinet size; Length 1600 * Width 530 * Height 750
------------------------------------	-------------------	--	--